

# libimobiledevice

📱 iTunes📱 Linux 📱📱📱 Apple 📱📱📱



Ubuntu 📱📱📱📱📱

```
sudo apt-get install usbmuxd libimobiledevice6 libimobiledevice-utils
```

📱📱📱📱📱📱📱 Debian 📱📱📱📱 12📱📱📱📱📱📱📱📱  
Experimental📱

AUR 📱📱📱📱📱📱📱📱📱📱📱📱📱📱📱

```
yay -S idevicerestore-git usbmuxd-git
```

📱📱📱

Apple 📱📱📱📱📱📱📱📱

📱📱📱📱📱📱📱📱

VM 📱 Arch Linux 📱 Gentoo 📱 openSUSE Tumbleweed

📱📱📱📱📱 libimobiledevice 📱📱📱📱

📱📱📱📱📱 Ubuntu📱 Debian

📱📱📱📱📱

GitHub 📱📱📱📱📱



📱📱

idevicebackup 📱📱

iOS 3📱📱📱📱📱📱



```
idevicebackup2 backup --full ./device-backup
```

📱📱📱📱📱📱📱📱 ./device-backup 📱📱📱📱📱 --full



Find My iPhone

Find My iPad

```
idevicebackup2 -s "device-uid" restore --system --settings ./device-backup
```

./device-backup

-s

-i

Apple ID

App



# IPSW

```
idicrrestore -e <IPSW_file_location>
```

-e

idicrrestore

-l

DFU

-R

(--recovery-mode

IPSW

USB

root

idicrrestore



# DFU



irecovery

irecovery -n



---

Revision #4

Created 13 June 2024 00:34:30 by Nesquate

Updated 13 June 2024 07:46:03 by Nesquate