

# libimobiledevice

[iTunes](#)
[Linux](#)
[Apple](#)



Ubuntu

```
sudo apt-get install usbmuxd libimobiledevice6 libimobiledevice-utils
```

[Experimental](#)
[Debian](#)
[12](#)

AUR

```
yay -S idevicerestore-git usbmuxd-git
```

[libimobiledevice](#)
[Apple](#)
[GitHub](#)

[libimobiledevice](#)
[VM](#)
[Arch Linux](#)
[Gentoo](#)
[openSUSE](#)
[Tumbleweed](#)

[libimobiledevice](#)
[libimobiledevice](#)
[Ubuntu](#)
[Debian](#)



[idmeframeworks](#)
[idevicebackup](#)

[iOS 3](#)



```
idevicebackup2 backup --full ./device-backup
```

[libimobiledevice](#)
[./device-backup](#)
[--full](#)



Find My iPhone

Find My iPad

```
idevicebackup2 -s "device-uid" restore --system --settings ./device-backup
```

./device-backup

-s

-i

Apple ID

App



# IPSW

```
idicrrestore -e <IPSW_file_location>
```

-e

idicrrestore

-l

DFU

-R

(

--recovery-mode

IPSW

USB

root

idicrrestore



# DFU



irecovery

irecovery -n



Revision #4

Created 13 June 2024 00:34:30 by Nesquate

Updated 13 June 2024 07:46:03 by Nesquate